



# Louisiana

## Functional Neuromuscular Electrical Stimulation

Policy # 00042

Original Effective Date: 05/12/2003

Current Effective Date: 08/12/2024

*Applies to all products administered or underwritten by Blue Cross and Blue Shield of Louisiana and its subsidiary, HMO Louisiana, Inc. (collectively referred to as the "Company"), unless otherwise provided in the applicable contract. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.*

### Services Are Considered Investigational

*Coverage is not available for investigational medical treatments or procedures, drugs, devices or biological products.*

Based on review of available data, the Company considers neuromuscular stimulation as a technique to restore function following nerve damage or nerve injury to be **investigational**.\*

This includes its use in the following situations:

- As a technique to provide ambulation in individuals with spinal cord injury; OR
- To provide upper extremity function in individuals with nerve damage (e.g., spinal cord injury or post-stroke); OR
- To improve ambulation in individuals with foot drop caused by congenital disorders (e.g. cerebral palsy) or nerve damage (e.g., post stroke, or in those with multiple sclerosis [MS]).

Based on review of available data, the Company considers functional electrical stimulation (FES) devices for exercise in individuals with spinal cord injury to be **investigational**.\*

## Background/Overview

### Functional Electrical Stimulation

Functional electrical stimulation (FES) is an approach to rehabilitation that applies low-level electrical current to stimulate functional movements in muscles affected by nerve damage. It focuses on the restoration of useful movements, like standing, stepping, pedaling for exercise, reaching, or grasping.

Functional electrical stimulation devices consist of an orthotic and a microprocessor-based electronic stimulator with 1 or more channels for delivery of individual pulses through surface or implanted electrodes connected to the neuromuscular system. Microprocessor programs activate the channels sequentially or in unison to stimulate peripheral nerves and trigger muscle contractions to produce

©2024 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Functional Neuromuscular Electrical Stimulation

Policy # 00042

Original Effective Date: 05/12/2003

Current Effective Date: 08/12/2024

functionally useful movements that allow patients to sit, stand, walk, cycle, or grasp. Functional neuromuscular stimulators are closed-loop systems that provide feedback information on muscle force and joint position, thus allowing constant modification of stimulation parameters, which are required for complex activities (eg, walking). These systems are contrasted with open-loop systems, which are used for simple tasks (eg, muscle strengthening alone); healthy individuals with intact neural control benefit the most from this technology.

Applications, described in more detail in the Rationale section, include upper-extremity grasping function after spinal cord injury (SCI) and stroke; lifting the front of the foot during ambulation in individuals with foot drop; and ambulation and exercise for patients with SCI. Some devices are used primarily for rehabilitation rather than home use. This evidence review focuses on devices intended for home use.

**FDA or Other Governmental Regulatory Approval**

**U.S. Food and Drug Administration (FDA)**

A variety of FES devices have been cleared by the U.S. Food and Drug Administration (FDA) and are available for home use. Table 1 provides examples of devices designed to improve hand and foot function as well as cycle ergometers for home exercise. The date of the FDA clearance is for the first 510(k) clearance identified for a marketed device. Many devices have additional FDA clearances as the technology evolved, each in turn listing the most recent device as the predicate.

**Table 1. Functional Electrical Stimulation Devices Cleared by the FDA**

Device	Manufacturer	Device Type	Clearance	Date	Product Code
NESS H200 <sup>®‡</sup> (previously Handmaster)	Bioness	Hand stimulator	K022776	2001	GZI
MyndMove System	MyndTec	Hand stimulator	K170564	2017	GZI/IPF
ReGrasp	Rehabtronics	Hand stimulator	K153163	2016	GZI/IPF

©2024 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



# Louisiana

## Functional Neuromuscular Electrical Stimulation

Policy # 00042

Original Effective Date: 05/12/2003

Current Effective Date: 08/12/2024

WalkAide <sup>®</sup> System	Innovative Neurotronics (formerly NeuroMotion)	Foot drop stimulator	K052329	2005	GZI
ODFS <sup>®</sup> (Odstock Dropped Foot Stimulator)	Odstock Medical	Foot drop stimulator	K050991	2005	GZI
ODFS <sup>®</sup> Pace XL	Odstock Medical	Foot drop stimulator	K171396	2018	GZI/IPF
L300 Go	Bioness	Foot drop stimulator	K190285	2019	GZI/IPF
L100 Go	Bioness	Foot drop stimulator	K200262	2020	GZI/IPF
Foot Drop System	SHENZHEN XFT Medical	Foot drop stimulator	K162718	2017	GZI
Nerve And Muscle Stimulator	SHENZHEN XFT Medical	Foot drop stimulator	K193276	2020	GZI
MyGait <sup>®</sup> Stimulation System	Otto Bock HealthCare	Foot drop stimulator	K141812	2015	GZI
MStim Drop Model LGT-233	Guangzhou Longest Science & Technology	Foot drop stimulator	K202110	2021	GZI/IPF
ERGYS (TTI Rehabilitation Gym)	Therapeutic Alliances	Leg cycle ergometer	K841112	1984	IPF
RT300	Restorative Therapies, Inc (RTI)	Cycle ergometer	K050036	2005	GZI
Myocycle Home	Myolyn	Cycle ergometer	K170132	2017	GZI

©2024 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



# Louisiana

## Functional Neuromuscular Electrical Stimulation

Policy # 00042

Original Effective Date: 05/12/2003

Current Effective Date: 08/12/2024

Cionic Neural Sleeve NS-100	Cionic	Foot drop stimulator	K221823	2022	GZI/IPF
EvoWalk 1.0	Evolution Devices Inc	Foot drop stimulator	K230997	2023	GZI

FDA: U.S. Food and Drug Administration.

To date, the Parastep<sup>®†</sup> Ambulation System (Sigmedics) is the only noninvasive functional walking neuromuscular stimulation device to receive premarket approval from the FDA. The Parastep device is approved to “enable appropriately selected skeletally mature spinal cord injured patients (level C6 to T12) to stand and attain limited ambulation and/or take steps, with assistance if required, following a prescribed period of physical therapy training in conjunction with rehabilitation management of spinal cord injury.” FDA product code: MKD.

### **Rationale/Source**

This medical policy was developed through consideration of peer-reviewed medical literature generally recognized by the relevant medical community, U.S. Food and Drug Administration approval status, nationally accepted standards of medical practice and accepted standards of medical practice in this community, technology evaluation centers, reference to federal regulations, other plan medical policies, and accredited national guidelines.

Functional electrical stimulation (FES) involves the use of an orthotic device or exercise equipment with microprocessor-controlled electrical muscular stimulation. These devices are being developed to restore function and improve health in individuals with damaged or destroyed nerve pathways (eg, spinal cord injury [SCI], stroke, multiple sclerosis, cerebral palsy).

### **Summary of Evidence**

For individuals who have loss of hand and upper-extremity function due to spinal cord injury (SCI) or stroke who receive functional electrical stimulation (FES), the evidence includes a few small case series and a randomized controlled trial (RCT). Relevant outcomes are functional outcomes and quality of life. Interpretation of the evidence is limited by the low number of patients studied and lack of data demonstrating the utility of FES outside the investigational setting. It is uncertain

©2024 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



# Louisiana

## Functional Neuromuscular Electrical Stimulation

Policy # 00042

Original Effective Date: 05/12/2003

Current Effective Date: 08/12/2024

whether FES can restore some upper-extremity function or improve the quality of life. The evidence is insufficient to determine that the technology results in an improvement in the net health outcome.

For individuals who have chronic foot drop who receive FES, the evidence includes RCTs, meta-analyses, and a longitudinal cohort study. Relevant outcomes are functional outcomes and quality of life. For chronic poststroke foot drop, 2 RCTs comparing FES with a standard ankle-foot orthosis (AFO) showed improved patient satisfaction with FES but no significant differences between groups in objective measures such as walking. Another RCT found no significant differences between use versus no use of FES on walking outcomes. Similarly, one meta-analysis found no difference between AFO and FES in walking speed, and another meta-analysis found no difference between FES and conventional treatments. The cohort study assessed patients' ability to avoid obstacles while walking on a treadmill using FES versus AFO. Although the FES group averaged a 4.7% higher rate of avoidance, the individual results between devices ranged widely. One RCT with 53 subjects examining neuromuscular stimulation for foot drop in patients with multiple sclerosis showed a reduction in falls and improved patient satisfaction compared with an exercise program but did not demonstrate a clinically significant benefit in walking speed. Another RCT showed that at 12 months, both FES and AFO had improved walking speed, but the difference in improvement between the 2 devices was not significant. Another study found FES (combined with postural correction) and neuroproprioceptive facilitation and inhibition physiotherapy did not differ in walking speed or balance immediately or 2 months after program end. A reduction in falls is an important health outcome. However, it was not a primary study outcome and should be corroborated. The literature on FES in children with cerebral palsy includes 3 systematic reviews of small studies with within-subject designs. All included studies only measure short-term results; it is unclear what the long-term effects of FES may be in this population. Further study is needed. The evidence is insufficient to determine that the technology results in an improvement in the net health outcome.

For individuals who have SCI at segments T4 to T12 who receive FES, the evidence includes case series. Relevant outcomes are functional outcomes and quality of life. No controlled trials were identified on FES for standing and walking in patients with SCI. However, case series are considered adequate for this condition because there is no chance for unaided ambulation in this population with SCI at this level. Some studies have reported improvements in intermediate outcomes, but improvements in health outcomes (eg, ability to perform activities of daily living [ADL], quality of life) have not been demonstrated. The evidence is insufficient to determine that the technology results in an improvement in the net health outcome.

©2024 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



# Louisiana

## Functional Neuromuscular Electrical Stimulation

Policy # 00042

Original Effective Date: 05/12/2003

Current Effective Date: 08/12/2024

For individuals who have SCI who receive FES exercise equipment, the evidence includes prospective comparisons. Relevant outcomes are symptoms, functional outcomes, and quality of life. The evidence on FES exercise equipment consists primarily of within-subject, pretreatment to posttreatment comparisons. Evidence was identified on 2 commercially available FES cycle ergometer models for the home, the RT300 series and the REGYS/ERGYS series. There is limited evidence on the RT300 series. None of the within-subject studies showed an improvement in health benefits; however, improvement in body fat with RT300 was found in a small group of patients when FES high intensity interval cycling was added to nutrition counseling compared to nutritional counseling alone. One analysis of use for 314 individuals over 20,000 activity sessions with a Restorative Therapies device showed that a majority of users used the device for 34 minutes per week. Two percent of individuals with SCI used the device for an average of 6 days per week, but caloric expenditure remained low. Compliance was shown in 1 study to be affected by the age of participants and level of activity prior to the study. Studies on the REGYS/ERGYS series have more uniformly shown an improvement in physiologic measures of health and in sensory and motor function; however, a small comparative study found arm cycling to improve exercise energy expenditure and cardiorespiratory fitness to a greater extent than FES leg cycling. A limitation of these studies is that they all appear to have been conducted in supervised research centers. No studies were identified on long-term home use of ERGYS cycle ergometers. The feasibility and long-term health benefits of using this device in the home is uncertain. The evidence is insufficient to determine that the technology results in an improvement in the net health outcome.

## **Supplemental Information**

### **Practice Guidelines and Position Statements**

Guidelines or position statements will be considered for inclusion in ‘Supplemental Information’ if they were issued by, or jointly by, a US professional society, an international society with US representation, or National Institute for Health and Care Excellence (NICE). Priority will be given to guidelines that are informed by a systematic review, include strength of evidence ratings, and include a description of management of conflict of interest.

### **National Institute for Health and Care Excellence**

In 2009, NICE published guidance stating that the evidence on functional electrical stimulation for foot drop of neurologic origin appeared adequate to support its use. The Institute noted that patient selection should involve a multidisciplinary team. The Institute advised that further publication on

©2024 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



# Louisiana

## Functional Neuromuscular Electrical Stimulation

Policy # 00042

Original Effective Date: 05/12/2003

Current Effective Date: 08/12/2024

the efficacy of functional electrical stimulation would be useful, specifically including patient-reported outcomes (eg, quality of life, activities of daily living [ADL]) and these outcomes should be examined in different ethnic and socioeconomic groups.

### **U.S. Preventive Services Task Force Recommendations**

Not applicable.

### **Medicare National Coverage**

Medicare (2002; updated in 2006) issued a national coverage policy recommending coverage for neuromuscular electrical stimulation for ambulation in spinal cord injury patients consistent with the U.S. Food and Drug Administration (FDA) labeling for the Parastep device. The Medicare decision memorandum indicates that Medicare considered the same data as those discussed herein in its decision-making process. The decision memorandum noted that the available studies were flawed but concluded that the limited ambulation provided by the Parastep device supported its clinical effectiveness and thus its coverage eligibility. The inclusion criteria outlined by Medicare are as follows:

- "Persons with intact lower motor units (L1 and below)...;
- Persons with muscle and joint stability for weight bearing at upper and lower extremities that can demonstrate balance and control to maintain an upright support posture independently;
- Persons who demonstrate brisk muscle contraction to NMES [neuromuscular electrical stimulation] and have sensory perception of electrical stimulation sufficient for muscle contraction;
- Persons that possess high motivation, commitment, and cognitive ability to use such devices for walking;
- Persons that can transfer independently and can demonstrate standing tolerance for at least 3 minutes;
- Persons that can demonstrate hand and finger function to manipulate controls;
- Persons with at least 6-month post recovery spinal cord injury and restorative surgery;
- Persons without hip and knee degenerative disease and no history of long bone fracture secondary to osteoporosis; and
- Persons that have demonstrated a willingness to use the device long-term."

©2024 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



# Louisiana

## Functional Neuromuscular Electrical Stimulation

Policy # 00042

Original Effective Date: 05/12/2003

Current Effective Date: 08/12/2024

The exclusion criteria are as follows:

- "Persons with cardiac pacemakers;
- Severe scoliosis or severe osteoporosis;
- Skin disease or cancer at area of stimulation;
- Irreversible contracture; or
- Autonomic dysreflexia."

### Ongoing and Unpublished Clinical Trials

Some currently unpublished trials that might influence this review are listed in Table 2.

**Table 2. Summary of Key Trials**

NCT No.	Trial Name	Planned Enrollment	Completion Date
<i>Ongoing</i>			
NCT03949387	Functional Electrical Stimulation Cycling for Managing Mobility Disability in People With Multiple Sclerosis	40	Dec 2024
NCT03410498	The Orthotic Effect of Functional Electrical Stimulation to Treat Foot Drop in People With MS Under Walking Conditions Simulating Those in Daily Life	20	Dec 2024
NCT04945395	The Effect of Using Functional Electric Stimulation for the Recovery of Dorsiflexion During Rehabilitation of Gait Function, in the Subacute Phase After Stroke- a Randomized Controlled Exploratory Study	20	Feb 2024
NCT03495986	Spinal Cord Injury Exercise and Nutrition Conceptual Engagement (SCIENCE)	60	May 2024
NCT00583804	Implanted Myoelectric Control for Restoration of Hand Function in Spinal Cord Injury	10 (actual)	Jan 2026

©2024 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.





# Louisiana

## Functional Neuromuscular Electrical Stimulation

Policy # 00042

Original Effective Date: 05/12/2003

Current Effective Date: 08/12/2024

<i>Unpublished</i>			
NCT03385005	Evaluating Neuromuscular Stimulation for Restoring Hand Movements	9	Oct 2023
NCT00890916	Hand Function for Tetraplegia Using a Wireless Neuroprosthesis	10	May 2021

NCT: national clinical trial.

## References

- Centers for Medicare & Medicaid Services. Decision Memo for Neuromuscular Electrical Stimulation (NMES) for Spinal Cord Injury (CAG-00153R). 2002; <https://www.cms.gov/medicare-coverage-database/details/nca-decision-memo.aspx?NCAId=55>.
- Mulcahey MJ, Betz RR, Kozin SH, et al. Implantation of the Freehand System during initial rehabilitation using minimally invasive techniques. *Spinal Cord*. Mar 2004; 42(3): 146-55. PMID 15001979
- Mulcahey MJ, Betz RR, Smith BT, et al. Implanted functional electrical stimulation hand system in adolescents with spinal injuries: an evaluation. *Arch Phys Med Rehabil*. Jun 1997; 78(6): 597-607. PMID 9196467
- Taylor P, Esnouf J, Hobby J. The functional impact of the Freehand System on tetraplegic hand function. *Clinical Results*. *Spinal Cord*. Nov 2002; 40(11): 560-6. PMID 12411963
- Venugopalan L, Taylor PN, Cobb JE, et al. Upper limb functional electrical stimulation devices and their man-machine interfaces. *J Med Eng Technol*. 2015; 39(8): 471-9. PMID 26508077
- Alon G, McBride K. Persons with C5 or C6 tetraplegia achieve selected functional gains using a neuroprosthesis. *Arch Phys Med Rehabil*. Jan 2003; 84(1): 119-24. PMID 12589632
- Alon G, McBride K, Ring H. Improving selected hand functions using a noninvasive neuroprosthesis in persons with chronic stroke. *J Stroke Cerebrovasc Dis*. 2002; 11(2): 99-106. PMID 17903863
- Snoek GJ, IJzerman MJ, in 't Groen FA, et al. Use of the NESS handmaster to restore handfunction in tetraplegia: clinical experiences in ten patients. *Spinal Cord*. Apr 2000; 38(4): 244-9. PMID 10822395

©2024 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



# Louisiana

## Functional Neuromuscular Electrical Stimulation

Policy # 00042

Original Effective Date: 05/12/2003

Current Effective Date: 08/12/2024

9. Anderson KD, Korupolu R, Musselman KE, et al. Multi-center, single-blind randomized controlled trial comparing functional electrical stimulation therapy to conventional therapy in incomplete tetraplegia. *Front Rehabil Sci.* 2022; 3: 995244. PMID 36188946
10. Jaqueline da Cunha M, Rech KD, Salazar AP, et al. Functional electrical stimulation of the peroneal nerve improves post-stroke gait speed when combined with physiotherapy. A systematic review and meta-analysis. *Ann Phys Rehabil Med.* Jan 2021; 64(1): 101388. PMID 32376404
11. Nascimento LR, da Silva LA, Araújo Barcellos JVM, et al. Ankle-foot orthoses and continuous functional electrical stimulation improve walking speed after stroke: a systematic review and meta-analyses of randomized controlled trials. *Physiotherapy.* Dec 2020; 109: 43-53. PMID 33120054
12. Hachisuka K, Ochi M, Kikuchi T, et al. Clinical effectiveness of peroneal nerve functional electrical stimulation in chronic stroke patients with hemiplegia (PLEASURE): A multicentre, prospective, randomised controlled trial. *Clin Rehabil.* Mar 2021; 35(3): 367-377. PMID 33103916
13. Bethoux F, Rogers HL, Nolan KJ, et al. The effects of peroneal nerve functional electrical stimulation versus ankle-foot orthosis in patients with chronic stroke: a randomized controlled trial. *Neurorehabil Neural Repair.* Sep 2014; 28(7): 688-97. PMID 24526708
14. Kluding PM, Dunning K, O'Dell MW, et al. Foot drop stimulation versus ankle foot orthosis after stroke: 30-week outcomes. *Stroke.* Jun 2013; 44(6): 1660-9. PMID 23640829
15. O'Dell MW, Dunning K, Kluding P, et al. Response and prediction of improvement in gait speed from functional electrical stimulation in persons with poststroke drop foot. *PM R.* Jul 2014; 6(7): 587-601; quiz 601. PMID 24412265
16. Berenpas F, Geurts AC, den Boer J, et al. Surplus value of implanted peroneal functional electrical stimulation over ankle-foot orthosis for gait adaptability in people with foot drop after stroke. *Gait Posture.* Jun 2019; 71: 157-162. PMID 31071538
17. Prokopiusova T, Pavlikova M, Markova M, et al. Randomized comparison of functional electric stimulation in posturally corrected position and motor program activating therapy: treating foot drop in people with multiple sclerosis. *Eur J Phys Rehabil Med.* Aug 2020; 56(4): 394-402. PMID 32383574
18. Renfrew LM, Paul L, McFadyen A, et al. The clinical- and cost-effectiveness of functional electrical stimulation and ankle-foot orthoses for foot drop in Multiple Sclerosis: a multicentre randomized trial. *Clin Rehabil.* Jul 2019; 33(7): 1150-1162. PMID 30974955

©2024 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



# Louisiana

## Functional Neuromuscular Electrical Stimulation

Policy # 00042

Original Effective Date: 05/12/2003

Current Effective Date: 08/12/2024

19. Barrett CL, Mann GE, Taylor PN, et al. A randomized trial to investigate the effects of functional electrical stimulation and therapeutic exercise on walking performance for people with multiple sclerosis. *Mult Scler.* Apr 2009; 15(4): 493-504. PMID 19282417
20. Esnouf JE, Taylor PN, Mann GE, et al. Impact on activities of daily living using a functional electrical stimulation device to improve dropped foot in people with multiple sclerosis, measured by the Canadian Occupational Performance Measure. *Mult Scler.* Sep 2010; 16(9): 1141-7. PMID 20601398
21. Cauraugh JH, Naik SK, Hsu WH, et al. Children with cerebral palsy: a systematic review and meta-analysis on gait and electrical stimulation. *Clin Rehabil.* Nov 2010; 24(11): 963-78. PMID 20685722
22. Zhu Q, Gao G, Wang K, et al. Effect of Functional Electrical Stimulation on Gait Parameters in Children with Cerebral Palsy: A Meta-Analysis. *Comput Math Methods Med.* 2022; 2022: 3972958. PMID 36238472
23. Chen YH, Wang HY, Liao CD, et al. Effectiveness of neuromuscular electrical stimulation in improving mobility in children with cerebral palsy: A systematic review and meta-analysis of randomized controlled trials. *Clin Rehabil.* Jan 2023; 37(1): 3-16. PMID 35730135
24. Chaplin E. Functional neuromuscular stimulation for mobility in people with spinal cord injuries. The Parastep I System. *J Spinal Cord Med.* Apr 1996; 19(2): 99-105. PMID 8732878
25. Klose KJ, Jacobs PL, Broton JG, et al. Evaluation of a training program for persons with SCI paraplegia using the Parastep 1 ambulation system: part 1. Ambulation performance and anthropometric measures. *Arch Phys Med Rehabil.* Aug 1997; 78(8): 789-93. PMID 9344294
26. Jacobs PL, Nash MS, Klose KJ, et al. Evaluation of a training program for persons with SCI paraplegia using the Parastep 1 ambulation system: part 2. Effects on physiological responses to peak arm ergometry. *Arch Phys Med Rehabil.* Aug 1997; 78(8): 794-8. PMID 9344295
27. Needham-Shropshire BM, Broton JG, Klose KJ, et al. Evaluation of a training program for persons with SCI paraplegia using the Parastep 1 ambulation system: part 3. Lack of effect on bone mineral density. *Arch Phys Med Rehabil.* Aug 1997; 78(8): 799-803. PMID 9344296
28. Guest RS, Klose KJ, Needham-Shropshire BM, et al. Evaluation of a training program for persons with SCI paraplegia using the Parastep 1 ambulation system: part 4. Effect on physical self-concept and depression. *Arch Phys Med Rehabil.* Aug 1997; 78(8): 804-7. PMID 9344297
29. Nash MS, Jacobs PL, Montalvo BM, et al. Evaluation of a training program for persons with SCI paraplegia using the Parastep 1 ambulation system: part 5. Lower extremity blood flow and hyperemic responses to occlusion are augmented by ambulation training. *Arch Phys Med Rehabil.* Aug 1997; 78(8): 808-14. PMID 9344298

©2024 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



# Louisiana

## Functional Neuromuscular Electrical Stimulation

Policy # 00042

Original Effective Date: 05/12/2003

Current Effective Date: 08/12/2024

30. Graupe D, Kohn KH. Functional neuromuscular stimulator for short-distance ambulation by certain thoracic-level spinal-cord-injured paraplegics. *Surg Neurol.* Sep 1998; 50(3): 202-7. PMID 9736079
31. Brissot R, Gallien P, Le Bot MP, et al. Clinical experience with functional electrical stimulation-assisted gait with Parastep in spinal cord-injured patients. *Spine (Phila Pa 1976).* Feb 15 2000; 25(4): 501-8. PMID 10707398
32. Sykes L, Ross ER, Powell ES, et al. Objective measurement of use of the reciprocating gait orthosis (RGO) and the electrically augmented RGO in adult patients with spinal cord lesions. *Prosthet Orthot Int.* Dec 1996; 20(3): 182-90. PMID 8985998
33. Davis JA, Triolo RJ, Uhlir J, et al. Preliminary performance of a surgically implanted neuroprosthesis for standing and transfers--where do we stand?. *J Rehabil Res Dev.* 2001; 38(6): 609-17. PMID 11767968
34. Rohde LM, Bonder BR, Triolo RJ. Exploratory study of perceived quality of life with implanted standing neuroprostheses. *J Rehabil Res Dev.* 2012; 49(2): 265-78. PMID 22773528
35. Triolo RJ, Bailey SN, Miller ME, et al. Longitudinal performance of a surgically implanted neuroprosthesis for lower-extremity exercise, standing, and transfers after spinal cord injury. *Arch Phys Med Rehabil.* May 2012; 93(5): 896-904. PMID 22541312
36. U.S. Department of Health and Human Services Office of Disease Prevention and Health Promotion. Physical activity guidelines, second edition. <https://health.gov/paguidelines/second-edition/>.
37. Hunt KJ, Fang J, Saengsuwan J, et al. On the efficiency of FES cycling: a framework and systematic review. *Technol Health Care.* 2012; 20(5): 395-422. PMID 23079945
38. Ralston KE, Harvey L, Batty J, et al. Functional electrical stimulation cycling has no clear effect on urine output, lower limb swelling, and spasticity in people with spinal cord injury: a randomised cross-over trial. *J Physiother.* Dec 2013; 59(4): 237-43. PMID 24287217
39. Dolbow DR, Gorgey AS, Ketchum JM, et al. Home-based functional electrical stimulation cycling enhances quality of life in individuals with spinal cord injury. *Top Spinal Cord Inj Rehabil.* 2013; 19(4): 324-9. PMID 24244097
40. Dolbow DR, Gorgey AS, Ketchum JM, et al. Exercise adherence during home-based functional electrical stimulation cycling by individuals with spinal cord injury. *Am J Phys Med Rehabil.* Nov 2012; 91(11): 922-30. PMID 23085704
41. Johnston TE, Smith BT, Mulcahey MJ, et al. A randomized controlled trial on the effects of cycling with and without electrical stimulation on cardiorespiratory and vascular health in

©2024 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



# Louisiana

## Functional Neuromuscular Electrical Stimulation

Policy # 00042

Original Effective Date: 05/12/2003

Current Effective Date: 08/12/2024

- children with spinal cord injury. Arch Phys Med Rehabil. Aug 2009; 90(8): 1379-88. PMID 19651272
42. Dolbow DR, Credeur DP, Lemacks JL, et al. Electrically induced cycling and nutritional counseling for counteracting obesity after spinal cord injury: A pilot study. J Spinal Cord Med. Jul 2021; 44(4): 533-540. PMID 31971487
  43. Sadowsky CL, Hammond ER, Strohl AB, et al. Lower extremity functional electrical stimulation cycling promotes physical and functional recovery in chronic spinal cord injury. J Spinal Cord Med. Nov 2013; 36(6): 623-31. PMID 24094120
  44. Griffin L, Decker MJ, Hwang JY, et al. Functional electrical stimulation cycling improves body composition, metabolic and neural factors in persons with spinal cord injury. J Electromyogr Kinesiol. Aug 2009; 19(4): 614-22. PMID 18440241
  45. Farkas GJ, Gorgey AS, Dolbow DR, et al. Energy Expenditure, Cardiorespiratory Fitness, and Body Composition Following Arm Cycling or Functional Electrical Stimulation Exercises in Spinal Cord Injury: A 16-Week Randomized Controlled Trial. Top Spinal Cord Inj Rehabil. 2021; 27(1): 121-134. PMID 33814890
  46. Kressler J, Ghersin H, Nash MS. Use of functional electrical stimulation cycle ergometers by individuals with spinal cord injury. Top Spinal Cord Inj Rehabil. 2014; 20(2): 123-6. PMID 25477734
  47. National Institute for Health and Care Excellence (NICE). Functional electrical stimulation for drop foot of central neurological origin [IPG278]. 2009; <http://www.nice.org.uk/nicemedia/pdf/IPG278Guidance.pdf>.
  48. Centers for Medicare & Medicaid Services. National Coverage Determination (NCD) for Neuromuscular Electrical Stimulaton (NMES) (160.12). 2006; <https://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=175&ncdver=2&DocID=160.12&SearchType=Advanced&bc=IAAAABAAAA&>.

## **Policy History**

Original Effective Date: 05/12/2003

Current Effective Date: 08/12/2024

04/25/2003 Medical Policy Committee review

05/12/2003 Managed Care Advisory Council approval

05/03/2005 Medical Director review

©2024 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



# Louisiana

## Functional Neuromuscular Electrical Stimulation

Policy # 00042

Original Effective Date: 05/12/2003

Current Effective Date: 08/12/2024

05/17/2005	Medical Policy Committee review. Format revision. Coverage eligibility unchanged.
05/23/2005	Managed Care Advisory Council approval
07/07/2006	Format revision, including addition of FDA and or other governmental regulatory approval and rationale/source. Coverage eligibility unchanged.
08/01/2007	Medical Director review
08/15/2007	Medical Policy Committee approval Coverage eligibility unchanged. Rationale /Source updated.
08/06/2009	Medical Policy Committee approval.
08/26/2009	Medical Policy Implementation Committee approval. Coverage eligibility unchanged.
08/05/2010	Medical Policy Committee approval.
08/18/2010	Medical Policy Implementation Committee approval. Title changed to Functional Neuromuscular Electrical Stimulation. Additional investigational statements added.
10/01/2010	Coding revision only
08/04/2011	Medical Policy Committee approval.
08/17/2011	Medical Policy Implementation Committee approval. No change to coverage.
08/02/2012	Medical Policy Committee review
08/15/2012	Medical Policy Implementation Committee approval. Coverage eligibility unchanged.
08/01/2013	Medical Policy Committee review
08/21/2013	Medical Policy Implementation Committee approval. Coverage eligibility unchanged.
08/07/2014	Medical Policy Committee review
08/20/2014	Medical Policy Implementation Committee approval. Cerebral palsy added to investigational statement.
08/03/2015	Coding update: ICD10 Diagnosis code section added; ICD9 Procedure code section removed.
09/03/2015	Medical Policy Committee review
09/23/2015	Medical Policy Implementation Committee approval. Coverage eligibility unchanged.
12/01/2016	Medical Policy Committee review

©2024 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



# Louisiana

## Functional Neuromuscular Electrical Stimulation

Policy # 00042

Original Effective Date: 05/12/2003

Current Effective Date: 08/12/2024

- 12/21/2016 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.
- 01/01/2017 Coding update: Removing ICD-9 Diagnosis Codes
- 12/07/2017 Medical Policy Committee review
- 12/20/2017 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.
- 12/06/2018 Medical Policy Committee review
- 12/19/2018 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.
- 12/05/2019 Medical Policy Committee review
- 12/11/2019 Medical Policy Implementation Committee approval. Coverage changes with the review of functional electrical stimulation exercise equipment added to policy; this is considered investigational.
- 07/02/2020 Medical Policy Committee review
- 07/08/2020 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.
- 07/01/2021 Medical Policy Committee review
- 07/14/2021 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.
- 07/07/2022 Medical Policy Committee review
- 07/13/2022 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.
- 07/06/2023 Medical Policy Committee review
- 07/12/2023 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.
- 07/02/2024 Medical Policy Committee review
- 07/10/2024 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.

Next Scheduled Review Date: 07/2025

### **Coding**

*The five character codes included in the Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines are obtained from Current Procedural Terminology (CPT®)‡, copyright 2023*

©2024 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Functional Neuromuscular Electrical Stimulation

Policy # 00042

Original Effective Date: 05/12/2003

Current Effective Date: 08/12/2024

*by the American Medical Association (AMA). CPT is developed by the AMA as a listing of descriptive terms and five character identifying codes and modifiers for reporting medical services and procedures performed by physician.*

*The responsibility for the content of Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines is with Blue Cross and Blue Shield of Louisiana and no endorsement by the AMA is intended or should be implied. The AMA disclaims responsibility for any consequences or liability attributable or related to any use, nonuse or interpretation of information contained in Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein. Any use of CPT outside of Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines should refer to the most current Current Procedural Terminology which contains the complete and most current listing of CPT codes and descriptive terms. Applicable FARS/DFARS apply.*

CPT is a registered trademark of the American Medical Association.

Codes used to identify services associated with this policy may include (but may not be limited to) the following:

Code Type	Code
CPT	95971, 95972
HCPCS	C1883, E0764, E0770
ICD-10 Diagnosis	All related diagnoses

\*Investigational – A medical treatment, procedure, drug, device, or biological product is Investigational if the effectiveness has not been clearly tested and it has not been incorporated into standard medical practice. Any determination we make that a medical treatment, procedure, drug, device, or biological product is Investigational will be based on a consideration of the following:

- A. Whether the medical treatment, procedure, drug, device, or biological product can be lawfully marketed without approval of the U.S. Food and Drug Administration (FDA) and

©2024 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.





# Louisiana

## Functional Neuromuscular Electrical Stimulation

Policy # 00042

Original Effective Date: 05/12/2003

Current Effective Date: 08/12/2024

whether such approval has been granted at the time the medical treatment, procedure, drug, device, or biological product is sought to be furnished; or

- B. Whether the medical treatment, procedure, drug, device, or biological product requires further studies or clinical trials to determine its maximum tolerated dose, toxicity, safety, effectiveness, or effectiveness as compared with the standard means of treatment or diagnosis, must improve health outcomes, according to the consensus of opinion among experts as shown by reliable evidence, including:
1. Consultation with technology evaluation center(s);
  2. Credible scientific evidence published in peer-reviewed medical literature generally recognized by the relevant medical community; or
  3. Reference to federal regulations.

‡ Indicated trademarks are the registered trademarks of their respective owners.

**NOTICE:** If the Patient's health insurance contract contains language that differs from the BCBSLA Medical Policy definition noted above, the definition in the health insurance contract will be relied upon for specific coverage determinations.

**NOTICE:** Medical Policies are scientific based opinions, provided solely for coverage and informational purposes. Medical Policies should not be construed to suggest that the Company recommends, advocates, requires, encourages, or discourages any particular treatment, procedure, or service, or any particular course of treatment, procedure, or service.

**NOTICE:** Federal and State law, as well as contract language, including definitions and specific contract provisions/exclusions, take precedence over Medical Policy and must be considered first in determining eligibility for coverage.

©2024 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.